
No.



8900178

THE CONTRES OF ANTERIOR

TO ALL TO WHOM THESE PRESENTS SHALL COME:

pioneer Gi-Gred International, Inc.

Tolkereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen years from the date of this grant, subject to the payment of the required fees and periodic replenishment of viable basic seed of the variety in a public repository as provided by LAW, the right to exclude others from selling the variety, or offering it for sale, or reproducing it, importing it, or exporting it, or using it in producing a hybrid or different ty therefrom, to the extent provided by the Plant Variety Protection Act T. 1542, as amended, 7 u.s.c. 2321 et seq.)

SOYBEAN

'9582'

In Ecstimony Watercot, I have hereunto sel my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, V. C. this 29th day of March in the year of our Lord one thousand nine

hundred and ninety-one.

Secretary of Assiculture

Allost

Kenneth H. Evon

Plant Variety Protection Office Agricultural Marketing Service

| | ENT OF AGRICULT | | FOR | M APPROVED: OMB NO. 0681-006 |
|--|--|---|---------------------|--|
| APPLICATION FOR PLANT VA | L MARKETING SER | | if a p | ication is required in order to determinishent variety protection certificate is taued (? U.S.C. 2421). Information is |
| the state of the s | tions on reverse) | | | confidential until certificate is issue. S.C. 2426). |
| 1. NAME OF APPLICANT(S) | | 2. TEMPORARY DESIGNATION | 1 3. V | ARIETY NAME |
| Pioneer Hi-Bred Internation | al, Inc. | | | 9582 |
| 4. ADDRESS (Street and No. or R.F.D. No., City, | State, and Zip Code) | 5. PHONE (Include area code) | | FOR OFFICIAL USE ONLY |
| 700 Capital Square 400 Locust Street Des Moines, IA 50309 | | 319-234-0335 | PVP | 8900178 |
| 6. GENUS AND SPECIES NAME | 7. FAMILY NA | ME (Botanical) | | DATE |
| Glycine Max | Legumir | nosae | FILING | TIME |
| 8. KIND NAME | | DATE OF DETERMINATION | | AMOUNT FOR FILING |
| Soybean | · | October, 1983 January, 1987 (increa | se Li | 18 18 00 |
| 10. IF THE APPLICANT NAMED IS NOT A "PER partnership, association, etc.) | ISON," GIVE FORM | OF ORGANIZATION (Corporation | EES REC | AMOUNT FOR CERTIFICATE |
| Corporation | | | | DATE 12. 11. 1991 |
| 11. IF INCORPORATED, GIVE STATE OF INCO. I OWA 13. NAME AND ADDRESS OF APPLICANT REP. | | | | 926 |
| Waterloo, IA 50703-9610 14. CHECK APPROPRIATE BOX FOR EACH ATT a. [X] Exhibit A, Origin and Breeding History | | | | |
| b. (X) Exhibit B, Novelty Statement. c. (X) Exhibit C, Objective Description of Var | | from Plant Variety Protection Off | ice.) | |
| d. Exhibit D, Additional Description of V. c. Exhibit E, Statement of the Basis of Ap | | | | |
| 15. DOES THE APPLICANT(S) SPECIFY THAT SE SEED? (See Section \$3(4) of the Plant Variety I | ED OF THIS VARIE | | | |
| 16. DOES THE APPLICANT(S) SPECIFY THAT TO LIMITED AS TO NUMBER OF GENERATIONS | | 17. IF "YES" TO ITEM 16. | | CLASSES OF PRODUCTION |
| Yes X No | | Foundation | Re | istered Certified |
| 18. DID THE APPLICANT(S) PREVIOUSLY FIL | E FOR PROTECTION | ON OF THE VARIETY IN THE U | .S.? | Yes (If "Yes," give date) |
| | | | | X No |
| 19. HAS THE VARIETY BEEN RELEASED, OFFI | ERED FOR SALE, (| OR MARKETED IN THE U.S. OR | OTHER | Yes (If "Yes," give names of countries and dates) |
| | | | | X No |
| The applicant(s) declare(s) that a viable san plenished upon request in accordance with | such regulations as | may be applicable. | | |
| The undersigned applicant(s) is (are) the ow distinct, uniform, and stable as required in Variety Protection Act. | vner(s) of this sexu Section 41, and is | ally reproduced novel plant var entitled to protection under the | iety, an provisi | d believe(s) that the variety is ons of Section 42 of the Plant |
| Applicant(s) is (are) informed that false rep | resentation herein | can jeopardize protection and | | |
| Clark Summing | , | | DA | April 6, 1989 |
| IGNATURE OF APPLICANT | | | DA | |
| | | | | |

FORM LS-470 (3-96) Attachment: 9582 Soybean (April, 1989)

Exhibit A:

Variety 9582 evolved from a cross of (Centennial X Bedford) X D77-5090. D77-5090 was later released by ARS as "Epps". It is an F3-derived variety which was advanced to the F3 generation in winter nurseries in Hawaii. The F4 progeny row of 9582 was grown in a yield test in Tennessee during the summer of 1983. Subsequently, 9582 has undergone five years of extensive testing, nematode screening and purification. This variety has been observed by the breeders to be uniform and stable for all plant traits from generation to generation with no evidence of variants.

7.0 acres of 9582 (breeder's seed) were grown in Tennessee during 1987. 42 acres of parent seed (foundation seed equivalent) were grown in Arkansas during 1988.

Exhibit B:

Variety 9582 is most similar to variety 9581. However, 9582 has a higher level of resistance to the southern rootknot nematode (Meloidogyne incognita) than does 9581 and is significantly later in maturity by 2.5 days (see Tables 1 & 2.)

Exhibit E:

Pioneer Hi-Bred International, Inc. is the sole, original, and first breeder of soybean variety 9582, for which it solicits a certificate of protection.

EXHIBIT C (Soybean)

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY

SOYBEAN (Glycine max L.)

| NAME OF APPLICANT(S) | TEMPORARY DESIGNATION | VARIETY NAME |
|--|--|--|
| Pioneer Hi-Bred International, Inc. | | 9582 |
| ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Co. 700 Capital Square | de) | FOR OFFICIAL USE ONLY PVPO NUMBER |
| 400 Locust Street Des Moines, IA 50309 | | 8900178 |
| Choose the appropriate response which characterizes the va in your answer is fewer than the number of boxes provided | riety in the features described , place a zero in the first box w | below. When the number of significant digits then number is 9 or less (e.g., 0 9). |
| 1. SEED SHAPE: | 0 | |
| 2 1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2) | 2 = Spherical Flattened | (L/W ratio > 1.2; L/T ratio = < 1.2) (L/T ratio > 1.2; T/W > 1.2) |
| 2. SEED COAT COLOR: (Mature Seed) | | |
| 1 = Yellow 2 = Green 3 = Brown | 4 = Black 5 = Other | (Specify) |
| 3. SEED COAT LUSTER: (Mature Hand Shelled Seed) | | |
| 2 1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebs | soy'; 'Gasoy 17') | |
| 4. SEED SIZE: (Mature Seed) | | |
| 1 4 Grams per 100 seeds | | |
| 5. HILUM COLOR: (Mature Seed) | | |
| 6 1 = Buff 2 = Yellow 3 = Brown | 4 = Gray 5 = Imperfect Bla | ack 6 = Black 7 = Other (Specify) |
| 6. COTYLEDON COLOR: (Mature Seed) | | |
| 1 = Yellow 2 = Green | | |
| 7. SEED PROTEIN PEROXIDASE ACTIVITY: | | |
| 1 = Low 2 = High | 19.45 | |
| 8. SEED PROTEIN ELECTROPHORETIC BAND: | | |
| 1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b) | | |
| 9. HYPOCOTYL COLOR: | | |
| 1 = Green only ('Evans'; 'Davis') 2 = Green wi 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71' 4 = Dark Purple extending to unifoliate leaves ('Hodgson' | | 'Woodworth'; 'Tracy') |
| 10. LEAFLET SHAPE: | | |
| 2 1 = Lanceolate 2 = Oval 3 = Ovate | 4 = Other (Specify) | |

| 11. LEAFLET SIZE: | | <i>N</i> . |
|---|---|------------|
| 1 = Small ('Amsoy 71'; 'A5312') 3 = Large ('Crawford'; 'Tracy') | 2 = Medium ('Corsoy 79'; 'Gasoy 17') | |
| 12. LEAF COLOR: | | |
| 1 = Light Green ('Weber'; 'York') 3 = Dark Green ('Gnome'; 'Tracy') | 2 = Medium Green ('Corsoy 79'; 'Braxton') | |
| 13. FLOWER COLOR: | | |
| | = White with purple throat | |
| 14. POD COLOR: | | |
| 1 = Tan 2 = Brown 3 = B | llack | |
| 15. PLANT PUBESCENCE COLOR: | | |
| 2 1 = Gray 2 = Brown (Tawny) | | |
| 16. PLANT TYPES: | | |
| 1 = Slender ('Essex'; 'Amsoy 71') 3 = Bushy ('Gnome'; 'Govan') | 2 = Intermediate ('Amcor'; 'Braxton') | |
| 17. PLANT HABIT: | | ET. |
| 1 = Determinate ('Gnome'; 'Braxton') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican') | 2 = Semi-Determinate ('Will') | |
| 18. MATURITY GROUP: | | ···· |
| 1 1 0 722 | 4 = I 5 = II 6 = III 7 = IV 8 = V 12 = IX 13 = X | \$19 |
| 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible | hlor 2 = Projectoral | · |
| BACTERIAL DISEASES: | ole, E = 11calatellty | |
| | | |
| Bacterial Pustule (Xanthomonas phaseoli var. sojens | sis) | |
| Bacterial Blight (Pseudomonas glycinea) | | |
| 2 Wildfire (Pseudomonas tabaci) | | |
| FUNGAL DISEASES: | • | |
| 0 Brown Spot (Septoria glycines) | | |
| Frogeye Leaf Spot (Cercospora sojina) | | |
| 0 Race 1 0 Race 2 0 Race 3 | 0 Race 4 0 Race 5 0 Other (Specify) | |
| ① Target Spot (Corynespora cassiicola) | | |
| Downy Mildew (Peronospora trifoliorum var. manshu | urica) | |
| O Powdery Mildew (Microsphaera diffusa) | | |
| 0 Brown Stem Rot (Cephalosporium gregatum) | | |
| Copinsisspontani gregatani) | | |

| 19. DISEA | ASE REACTIO | N: (Enter 0 = Not Tested; 1 = Susceptible; 2 = | Resistant) (Continued) | | |
|-------------------|----------------|---|------------------------|---------------|---------------------------------------|
| FUI | NGAL DISEAS | ES: (Continued) | | | |
| 0 | Pod and Ste | m Blight <i>(Diaporthe phaseolorum var; sojae)</i> | • | | |
| 0 | Purple Seed | Stain (Cercospora kikuchii) | | | |
| | Rhizoctonia | Root Rot <i>(Rhizoctonia-solani)</i> | | | |
| • • | Phytophtho | ra Rot <i>(Phytophthora megasperma</i> var. <i>sojae)</i> | | | |
| $\lceil 1 \rceil$ | Race 1 | 0 Race 2 0 Race 3 0 | Race 4 0 Race 5 | 0 Race 6 | 0 Race 7 |
| | Race 8 | 0 Race 9 0 Other (Specify) | 11000 4 | , [5] (1888) | 1.007 |
| | AL DISEASES | | | | |
| | | | | | |
| | | Tobacco Ringspot Virus) | ÷. | | |
| | Yellow Moss | sic (Bean Yellow Mosaic Virus) | | * | • |
| | Cowpea Mos | aic (Cowpea Chlorotic Virus) | | | |
| | Pod Mottle (| Bean Pod Mottle Virus) | | | • |
| 0 | Seed Mottle | (Soybean Mosaic Virus) | | • | |
| NEM | IATODE DISE | ASES: | | • | |
| - | Soybean Cys | t Nematode (Heterodera glycines) | | · | |
| 0 | Race 1 | 0 Race 2 2 Race 3 2 | Race 4 Other | (Specify) | |
| 0 | Lance Nemat | code (Hoplolaimus Colombus) | | | |
| 2 | Southern Ro | ot Knot Nematode (Meloidogyne incognita) | | | • |
| 一 | Northern Ro | ot Knot Nematode (Meloidogyne Hapla) | | | |
| | | Knot Nematode (Melaidogyne areneria) | | | |
| | | · | | | |
| | | matode (Rotylenchulus reniformis) | | | |
| | OTHER DISE | EASE NOT ON FORM (Specify): | | | |
| O. PHYSIO | LOGICAL RE | SPONSES: (Enter 0 = Not Tested; 1 = Suscep | tible; 2 = Resistant) | | · · · · · · · · · · · · · · · · · · · |
| 0 | Iron Chlorosis | on Calcareous Soit | | | |
| | Other (Specifi | y) | | | |
| 1 INSECT | | (Enter 0 = Not Tested; 1 = Susceptible; 2 = Re | | | |
| 0 | • | Beetle (Epilachna varivestis) | sistent. | | |
| | | | * | | |
| | | opper (Empoasca fabae) | 1901 1 | | |
| | Other (Specify | ·/ | | | |
| 2. INDICAT | TE WHICH VA | RIETY MOST CLOSELY RESEMBLES THA | T SUBMITTED. | | |
| CHAR | ACTER | NAME OF VARIETY | CHARACTER | NAME OF | VARIETY |
| Plant Sha | | 9581 | Seed Coat Luster | 9581 | |
| Leaf Shap | | 9581 | Seed Size | 9 5 81 | |
| Leaf Colo | or . | 9581 | Seed Shape | 9581 | |
| Leaf Size | - | 9581 | Seedling Pigmentation | 9581 | |
| | | | 1 | | |

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

| VARIETY | NO. OF DAYS MATURITY | PLANT LODGING SCORE | CM PLANT HEIGHT | LEAFLET SIZE | | SEED CONTENT | | SEED SIZE G/100 | NO. SEEDS/ |
|------------------------------------|----------------------------|---------------------------|-----------------------|--------------|-----------|--------------|-------|--------------------|---------------|
| | | | | CM Width | CM Length | % Protein | % Oil | SEEDS | POD |
| 9582 | | | | | | | 1 | | |
| Submitted | 141 | 2.1 | 87 | | | 40.0 | 21.2 | 14 | |
| 9581 Name of Similar Variety | 139 | 2.3 | 87 | | | 38.9 | 21.5 | 14 | |

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

Table 2. Paired Comparison (Days to Maturity) 1985-1988

| YR | LOC | 9582 (X ₁) | 9581 (X ₂) | (X ₁ -X ₂) | $(X_1 - X_2)^2$ | |
|--|--|--|---|---|---|---|
| 85 85 85 | 70 75 80 | 149.3 150.0 137.3 | 145.7 143.0 137.0 | 3.6 7.0 0.3 | 12.96 49.00 0.09 | , |
| 86 86 86 86 86 86 | 69 70 76 67 69 70 76 | 134.3 144.0 132.3 152.0 133.0 144.3 132.0 | 131.3 139.0 130.0 144.3 126.3 139.3 131.3 | 3.0 5.0 2.3 7.7 6.7 5.0 0.7 | 9.00 25.00 5.29 59.29 44.89 25.00 0.49 | |
| 87 87 87 87 87 87 | 70 67 70 80 81 82 | 143.0 150.3 141.3 123.3 135.7 | 139.7 147.0 139.3 123.0 133.7 122.3 | 3.3 3.3 2.0 0.3 2.0 1.4 | 10.89 10.89 4.00 0.09 4.00 1.96 | |
| 88 88 88 88 88 88 88 88 88 88 88 88 | 70 80 67 68 70 80 81 82 70 81 82 70 | 157.0 133.7 159.0 153.0 156.3 133.3 140.0 136.0 156.3 142.7 135.7 156.7 | 153.7 132.3 155.0 150.7 155.3 132.7 138.0 135.7 155.7 142.0 135.3 153.0 133.3 | 3.3 1.4 4.0 2.3 1.0 0.6 2.0 0.3 0.6 0.7 0.4 3.7 2.7 | 10.89 1.96 16.00 5.29 1.00 0.36 4.00 0.09 0.36 0.49 0.16 13.69 7.29 | |
| TOTA | L | 4,121.5 | 4,044.9 | 76.6 | 324.42 | |
| x | | 142.1 | 139.5 | 2.6 | | |

N = 29

$$s = \frac{324.42 - [(76.6)^{2}/29]}{29(28)} = 0.388$$

$$t = \frac{2.6}{0.388} = 6.701 ** for 30 df$$

Table 1. Paired Comparison (Southern Rootknot Nematode) 1987-1988 (1 = susceptible, 9 = resistant)

| YR RI | P 95 | 582 (X ₁) | 9581 (X ₂) | (X ₁ -X ₂) | $(X_1 - X_2)^2$ |
|--|------|----------------------------|----------------------------|-----------------------------------|------------------------------|
| 87 1 87 2 87 3 87 4 87 5 87 6 | | 7 7 8 8 8 8 | 4 3 5 7 4 5 | 3 4 3 1 4 3 | 9 16 9 1 16 9 |
| TOTAL | | 46 | 28 | 18 | 60 |
| $\overline{\mathbf{x}}$ | | 7.66 | 4.66 | 3.00 | |

N = 6

$$s = \frac{60 - [(18)^2/6]}{6(5)} = 0.447$$

$$t = \frac{3.00}{0.447} = 6.71 ** for 5 df$$